

Durable & Attractive Stainless Steel Push Pads



Elegant, vandal-resistant wireless and hardwired push pads designed to facilitate disabled pedestrian access to all public buildings

Tamper Resistant

Manufactured from high grade stainless steel and assembled without visible fixings ensuring a tamper resistant push pad

Wireless for Ease of Installation

Can be radio-controlled with the addition of an optional miniature remote control transmitter and receiver

Durable



Tested to in excess of 10 million activation cycles our range of switches offer low maintenance combined with elegance

Available in a Range of Sizes

6" (152mm) Square

4.5" (115mm) Square

4.5" x 1.5" (115 x 38mm) Jamb Style



Technical Specification

Accessories



4UFK

Recess mounting kit
for 4S1U0 and 4S1U4

Model	Stainless Steel Wireless + Hardwired Push Pads
Material	18-gauge stainless steel with a brushed finish
Power	12 VDC or 24 VDC/VAC
Operating Temperature	-40°C to 60°C (-40°F to 140°F)
Operating Options	Hardwired and Radio Control versions operating at 433 MHz

	Transmitter	Receiver
Frequency	433.92 MHz	433.92 MHz
Dimensions	31x22x6mm (1.25"x0.875"x0.25")	57x32x19mm (2.25"x 1.25"x 0.75")
Security Code Method	Code Hopping	Code Hopping
Battery Life	60,000 cycles	Can learn up to 12 different transmitters
Operating Temperature Range	-200C to +550C (-40F to +1220F)	-200C to +550C (-40F to +1220F)
Electrical Rating	-	100,000 cycles at 2 Amps at either 24 VDC or 120 VAC
Input Power	24 VAC, 24VDC or 12 VDC	24 VAC, 24VDC or 12 VDC
Relay Output	-	1 NO 1 NC
Signal Range	150ft (45m)	-

Range Available



J01J0
Hardwired Jamb Box Push
Plate 4.5" x 1.5" (115 x
38mm)



4S1U0
Hardwired Push Pad
4.5"(115mm) square



6S1U0
Hardwired Push Pad
6"(152mm) square




J01J4
J01J0 + 433 MHz
transmitter
4.5" x 1.5" (115 x 38mm)




4S1U4
4S1U0 + 433 MHz transmitter
4.5"(115mm) square



6S1U4
6S1U0 + 433 MHz transmitter
6"(152mm) square



433MHz-RX
Ultra-small 433MHz receiver



433MHz-TX
Ultra-small 433MHz
replacement transmitter